



# BARGE "CTCo 335"

## INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
1 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
2 PORT	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8
2 STBD	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-3/8	- 00-3/8
3 PORT	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8
3 STBD	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 PORT IS - 00-1/8"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 236'-09"

August 28, 2014

**PRECISION MEASUREMENT  
& ANALYSIS, INC.**

P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "CTCo 335"

## 1 PORT INNAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-02 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,596.93	0	3,962.90	0	4,326.26	0	4,671.13	0	5,003.20	0		0		0		0		0	
1/4	3,604.55	1/4	3,970.52	1/4	4,333.66	1/4	4,678.08	1/4	5,010.76	1/4		1/4		1/4		1/4		1/4	
1/2	3,612.18	1/2	3,978.15	1/2	4,341.05	1/2	4,685.03	1/2	5,018.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,619.80	3/4	3,985.77	3/4	4,348.44	3/4	4,691.98	3/4	5,025.90	3/4		3/4		3/4		3/4		3/4	
1	3,627.43	1	3,993.40	1	4,355.84	1	4,698.93	1	5,033.47	1		1		1		1		1	
1/4	3,635.05	1/4	4,001.02	1/4	4,363.19	1/4	4,705.84	1/4	5,040.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,642.68	1/2	4,008.65	1/2	4,370.55	1/2	4,712.74	1/2	5,048.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,650.30	3/4	4,016.27	3/4	4,377.91	3/4	4,719.65	3/4	5,055.60	3/4		3/4		3/4		3/4		3/4	
2	3,657.92	2	4,023.90	2	4,385.27	2	4,726.56	2	5,062.98	2		2		2		2		2	
1/4	3,665.55	1/4	4,031.52	1/4	4,392.59	1/4	4,733.40	1/4	5,069.40	1/4		1/4		1/4		1/4		1/4	
1/2	3,673.17	1/2	4,039.14	1/2	4,399.91	1/2	4,740.24	1/2	5,075.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,680.80	3/4	4,046.77	3/4	4,407.23	3/4	4,747.08	3/4	5,082.25	3/4		3/4		3/4		3/4		3/4	
3	3,688.42	3	4,054.39	3	4,414.55	3	4,753.93	3	5,088.68	3		3		3		3		3	
1/4	3,696.05	1/4	4,062.02	1/4	4,421.82	1/4	4,760.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,703.67	1/2	4,069.64	1/2	4,429.09	1/2	4,767.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,711.30	3/4	4,077.27	3/4	4,436.36	3/4	4,774.35	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,718.92	4	4,084.89	4	4,443.62	4	4,781.16	4		4		4		4		4		4	
1/4	3,726.54	1/4	4,092.52	1/4	4,450.85	1/4	4,787.94	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,734.17	1/2	4,100.14	1/2	4,458.08	1/2	4,794.71	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,741.79	3/4	4,107.76	3/4	4,465.31	3/4	4,801.49	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,749.42	5	4,115.39	5	4,472.54	5	4,808.26	5		5		5		5		5		5	
1/4	3,757.04	1/4	4,123.01	1/4	4,479.73	1/4	4,815.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,764.67	1/2	4,130.63	1/2	4,486.92	1/2	4,821.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,772.29	3/4	4,138.25	3/4	4,494.12	3/4	4,828.49	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,779.91	6	4,145.88	6	4,501.31	6	4,835.23	6		6		6		6		6		6	
1/4	3,787.54	1/4	4,153.48	1/4	4,508.47	1/4	4,841.93	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,795.16	1/2	4,161.08	1/2	4,515.63	1/2	4,848.64	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,802.79	3/4	4,168.69	3/4	4,522.79	3/4	4,855.35	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,810.41	7	4,176.29	7	4,529.95	7	4,862.05	7		7		7		7		7		7	
1/4	3,818.04	1/4	4,183.86	1/4	4,537.08	1/4	4,868.72	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,825.66	1/2	4,191.43	1/2	4,544.21	1/2	4,875.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,833.29	3/4	4,199.00	3/4	4,551.33	3/4	4,882.05	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,840.91	8	4,206.57	8	4,558.46	8	4,888.72	8		8		8		8		8		8	
1/4	3,848.53	1/4	4,214.11	1/4	4,565.55	1/4	4,895.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,856.16	1/2	4,221.64	1/2	4,572.65	1/2	4,901.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,863.78	3/4	4,229.18	3/4	4,579.74	3/4	4,908.63	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,871.41	9	4,236.72	9	4,586.83	9	4,915.26	9		9		9		9		9		9	
1/4	3,879.03	1/4	4,244.22	1/4	4,593.89	1/4	4,922.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,886.66	1/2	4,251.72	1/2	4,600.95	1/2	4,928.96	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,894.28	3/4	4,259.22	3/4	4,608.01	3/4	4,935.81	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,901.91	10	4,266.72	10	4,615.07	10	4,942.66	10		10		10		10		10		10	
1/4	3,909.53	1/4	4,274.18	1/4	4,622.10	1/4	4,950.23	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,917.15	1/2	4,281.64	1/2	4,629.12	1/2	4,957.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,924.78	3/4	4,289.10	3/4	4,636.15	3/4	4,965.36	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,932.40	11	4,296.56	11	4,643.17	11	4,972.93	11		11		11		11		11		11	
1/4	3,940.03	1/4	4,303.98	1/4	4,650.16	1/4	4,980.50	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,947.65	1/2	4,311.41	1/2	4,657.15	1/2	4,988.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,955.28	3/4	4,318.84	3/4	4,664.14	3/4	4,995.63	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/28/2014 CL  
CALCULATED: 08/29/2014 CL  
PRINTED: 09/02/2014 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 09/2014

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "CTCo 335"

**1 STBD  
INNAGE TABLE  
HERMETIC  
GAUGE HEIGHT 15'-03"**

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,592.44	0	3,958.32	0	4,321.59	0	4,666.38	0	4,998.36	0		0		0		0		0	
1/4	3,600.07	1/4	3,965.95	1/4	4,328.98	1/4	4,673.32	1/4	5,005.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,607.69	1/2	3,973.57	1/2	4,336.37	1/2	4,680.27	1/2	5,013.49	1/2		1/2		1/2		1/2		1/2	
3/4	3,615.31	3/4	3,981.19	3/4	4,343.76	3/4	4,687.22	3/4	5,021.05	3/4		3/4		3/4		3/4		3/4	
1	3,622.93	1	3,988.81	1	4,351.16	1	4,694.17	1	5,028.62	1		1		1		1		1	
1/4	3,630.56	1/4	3,996.44	1/4	4,358.51	1/4	4,701.07	1/4	5,035.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,638.18	1/2	4,004.06	1/2	4,365.87	1/2	4,707.98	1/2	5,043.37	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.80	3/4	4,011.68	3/4	4,373.23	3/4	4,714.88	3/4	5,050.74	3/4		3/4		3/4		3/4		3/4	
2	3,653.42	2	4,019.30	2	4,380.58	2	4,721.78	2	5,058.12	2		2		2		2		2	
1/4	3,661.05	1/4	4,026.93	1/4	4,387.90	1/4	4,728.63	1/4	5,064.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.67	1/2	4,034.55	1/2	4,395.22	1/2	4,735.47	1/2	5,070.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,676.29	3/4	4,042.17	3/4	4,402.54	3/4	4,742.31	3/4	5,077.38	3/4		3/4		3/4		3/4		3/4	
3	3,683.91	3	4,049.79	3	4,409.86	3	4,749.15	3	5,083.80	3		3		3		3		3	
1/4	3,691.54	1/4	4,057.42	1/4	4,417.12	1/4	4,755.96	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,699.16	1/2	4,065.04	1/2	4,424.39	1/2	4,762.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,706.78	3/4	4,072.66	3/4	4,431.66	3/4	4,769.57	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,714.40	4	4,080.28	4	4,438.92	4	4,776.38	4		4		4		4		4		4	
1/4	3,722.03	1/4	4,087.91	1/4	4,446.15	1/4	4,783.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,729.65	1/2	4,095.53	1/2	4,453.38	1/2	4,789.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,737.27	3/4	4,103.15	3/4	4,460.60	3/4	4,796.70	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,744.89	5	4,110.77	5	4,467.83	5	4,803.47	5		5		5		5		5		5	
1/4	3,752.52	1/4	4,118.39	1/4	4,475.02	1/4	4,810.21	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,760.14	1/2	4,126.01	1/2	4,482.21	1/2	4,816.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,767.76	3/4	4,133.63	3/4	4,489.40	3/4	4,823.69	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,775.38	6	4,141.25	6	4,496.60	6	4,830.43	6		6		6		6		6		6	
1/4	3,783.01	1/4	4,148.85	1/4	4,503.76	1/4	4,837.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,790.63	1/2	4,156.45	1/2	4,510.91	1/2	4,843.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,798.25	3/4	4,164.06	3/4	4,518.07	3/4	4,850.54	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,805.87	7	4,171.66	7	4,525.23	7	4,857.25	7		7		7		7		7		7	
1/4	3,813.50	1/4	4,179.23	1/4	4,532.36	1/4	4,863.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,821.12	1/2	4,186.79	1/2	4,539.48	1/2	4,870.58	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,828.74	3/4	4,194.36	3/4	4,546.61	3/4	4,877.24	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,836.36	8	4,201.93	8	4,553.73	8	4,883.91	8		8		8		8		8		8	
1/4	3,843.99	1/4	4,209.46	1/4	4,560.82	1/4	4,890.54	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,851.61	1/2	4,217.00	1/2	4,567.91	1/2	4,897.18	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,859.23	3/4	4,224.53	3/4	4,575.00	3/4	4,903.81	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,866.85	9	4,232.07	9	4,582.10	9	4,910.44	9		9		9		9		9		9	
1/4	3,874.48	1/4	4,239.56	1/4	4,589.15	1/4	4,917.29	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,882.10	1/2	4,247.06	1/2	4,596.21	1/2	4,924.14	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,889.72	3/4	4,254.56	3/4	4,603.27	3/4	4,930.99	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,897.34	10	4,262.06	10	4,610.33	10	4,937.84	10		10		10		10		10		10	
1/4	3,904.97	1/4	4,269.52	1/4	4,617.35	1/4	4,945.40	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,912.59	1/2	4,276.98	1/2	4,624.37	1/2	4,952.97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,920.21	3/4	4,284.43	3/4	4,631.40	3/4	4,960.53	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,927.83	11	4,291.89	11	4,638.42	11	4,968.10	11		11		11		11		11		11	
1/4	3,935.46	1/4	4,299.32	1/4	4,645.41	1/4	4,975.66	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,943.08	1/2	4,306.74	1/2	4,652.40	1/2	4,983.23	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,950.70	3/4	4,314.17	3/4	4,659.39	3/4	4,990.79	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/28/2014 CL  
CALCULATED: 08/29/2014 CL  
PRINTED: 09/02/2014 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 09/2014

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "CTCo 335"

## 2 PORT INNAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-03 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,429.40	0	3,773.43	0	4,115.02	0	4,439.16	0	4,751.14	0		0		0		0		0	
1/4	3,436.57	1/4	3,780.60	1/4	4,121.97	1/4	4,445.69	1/4	4,758.25	1/4		1/4		1/4		1/4		1/4	
1/2	3,443.74	1/2	3,787.77	1/2	4,128.92	1/2	4,452.22	1/2	4,765.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,450.90	3/4	3,794.93	3/4	4,135.87	3/4	4,458.75	3/4	4,772.47	3/4		3/4		3/4		3/4		3/4	
1	3,458.07	1	3,802.10	1	4,142.82	1	4,465.28	1	4,779.58	1		1		1		1		1	
1/4	3,465.24	1/4	3,809.27	1/4	4,149.73	1/4	4,471.77	1/4	4,786.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,472.41	1/2	3,816.44	1/2	4,156.65	1/2	4,478.26	1/2	4,793.45	1/2		1/2		1/2		1/2		1/2	
3/4	3,479.57	3/4	3,823.60	3/4	4,163.57	3/4	4,484.75	3/4	4,800.38	3/4		3/4		3/4		3/4		3/4	
2	3,486.74	2	3,830.77	2	4,170.49	2	4,491.24	2	4,807.31	2		2		2		2		2	
1/4	3,493.91	1/4	3,837.94	1/4	4,177.37	1/4	4,497.67	1/4	4,813.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,501.07	1/2	3,845.10	1/2	4,184.25	1/2	4,504.10	1/2	4,819.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,508.24	3/4	3,852.27	3/4	4,191.13	3/4	4,510.53	3/4	4,825.42	3/4		3/4		3/4		3/4		3/4	
3	3,515.41	3	3,859.44	3	4,198.01	3	4,516.95	3	4,831.45	3		3		3		3		3	
1/4	3,522.58	1/4	3,866.61	1/4	4,204.84	1/4	4,523.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,529.74	1/2	3,873.77	1/2	4,211.67	1/2	4,529.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,536.91	3/4	3,880.94	3/4	4,218.50	3/4	4,536.14	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,544.08	4	3,888.11	4	4,225.33	4	4,542.54	4		4		4		4		4		4	
1/4	3,551.25	1/4	3,895.28	1/4	4,232.13	1/4	4,548.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,558.41	1/2	3,902.44	1/2	4,238.92	1/2	4,555.27	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,565.58	3/4	3,909.61	3/4	4,245.71	3/4	4,561.64	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,572.75	5	3,916.78	5	4,252.51	5	4,568.00	5		5		5		5		5		5	
1/4	3,579.91	1/4	3,923.94	1/4	4,259.27	1/4	4,574.33	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,587.08	1/2	3,931.11	1/2	4,266.03	1/2	4,580.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,594.25	3/4	3,938.28	3/4	4,272.79	3/4	4,587.00	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,601.42	6	3,945.45	6	4,279.55	6	4,593.34	6		6		6		6		6		6	
1/4	3,608.58	1/4	3,952.59	1/4	4,286.28	1/4	4,599.63	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,615.75	1/2	3,959.74	1/2	4,293.01	1/2	4,605.93	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,622.92	3/4	3,966.89	3/4	4,299.74	3/4	4,612.23	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,630.09	7	3,974.04	7	4,306.47	7	4,618.53	7		7		7		7		7		7	
1/4	3,637.25	1/4	3,981.15	1/4	4,313.17	1/4	4,624.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,644.42	1/2	3,988.27	1/2	4,319.87	1/2	4,631.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,651.59	3/4	3,995.38	3/4	4,326.57	3/4	4,637.32	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,658.76	8	4,002.50	8	4,333.26	8	4,643.59	8		8		8		8		8		8	
1/4	3,665.92	1/4	4,009.59	1/4	4,339.93	1/4	4,649.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,673.09	1/2	4,016.67	1/2	4,346.60	1/2	4,656.05	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,680.26	3/4	4,023.75	3/4	4,353.26	3/4	4,662.29	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,687.42	9	4,030.84	9	4,359.93	9	4,668.52	9		9		9		9		9		9	
1/4	3,694.59	1/4	4,037.89	1/4	4,366.56	1/4	4,674.96	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,701.76	1/2	4,044.94	1/2	4,373.20	1/2	4,681.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,708.93	3/4	4,051.99	3/4	4,379.83	3/4	4,687.83	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,716.09	10	4,059.04	10	4,386.47	10	4,694.26	10		10		10		10		10		10	
1/4	3,723.26	1/4	4,066.05	1/4	4,393.07	1/4	4,701.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,730.43	1/2	4,073.07	1/2	4,399.67	1/2	4,708.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,737.60	3/4	4,080.08	3/4	4,406.28	3/4	4,715.59	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,744.76	11	4,087.09	11	4,412.88	11	4,722.70	11		11		11		11		11		11	
1/4	3,751.93	1/4	4,094.07	1/4	4,419.45	1/4	4,729.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,759.10	1/2	4,101.05	1/2	4,426.02	1/2	4,736.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,766.26	3/4	4,108.04	3/4	4,432.59	3/4	4,744.03	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/28/2014 CL  
CALCULATED: 08/29/2014 CL  
PRINTED: 09/02/2014 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 09/2014

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P. O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>







# BARGE "CTCo 335"

## 2 STBD INNAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-03 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,442.47	0	3,786.42	0	4,127.91	0	4,451.98	0	4,763.92	0		0		0		0		0	
1/4	3,449.64	1/4	3,793.59	1/4	4,134.86	1/4	4,458.51	1/4	4,771.03	1/4		1/4		1/4		1/4		1/4	
1/2	3,456.80	1/2	3,800.75	1/2	4,141.80	1/2	4,465.04	1/2	4,778.13	1/2		1/2		1/2		1/2		1/2	
3/4	3,463.97	3/4	3,807.92	3/4	4,148.75	3/4	4,471.57	3/4	4,785.24	3/4		3/4		3/4		3/4		3/4	
1	3,471.14	1	3,815.08	1	4,155.70	1	4,478.10	1	4,792.35	1		1		1		1		1	
1/4	3,478.30	1/4	3,822.25	1/4	4,162.62	1/4	4,484.59	1/4	4,799.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,485.47	1/2	3,829.42	1/2	4,169.53	1/2	4,491.08	1/2	4,806.21	1/2		1/2		1/2		1/2		1/2	
3/4	3,492.63	3/4	3,836.58	3/4	4,176.45	3/4	4,497.57	3/4	4,813.14	3/4		3/4		3/4		3/4		3/4	
2	3,499.80	2	3,843.75	2	4,183.36	2	4,504.06	2	4,820.07	2		2		2		2		2	
1/4	3,506.96	1/4	3,850.91	1/4	4,190.24	1/4	4,510.49	1/4	4,826.10	1/4		1/4		1/4		1/4		1/4	
1/2	3,514.13	1/2	3,858.08	1/2	4,197.12	1/2	4,516.91	1/2	4,832.13	1/2		1/2		1/2		1/2		1/2	
3/4	3,521.29	3/4	3,865.24	3/4	4,204.00	3/4	4,523.34	3/4	4,838.17	3/4		3/4		3/4		3/4		3/4	
3	3,528.46	3	3,872.41	3	4,210.88	3	4,529.77	3	4,844.20	3		3		3		3		3	
1/4	3,535.63	1/4	3,879.57	1/4	4,217.71	1/4	4,536.16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,542.79	1/2	3,886.74	1/2	4,224.54	1/2	4,542.56	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,549.96	3/4	3,893.91	3/4	4,231.37	3/4	4,548.95	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,557.12	4	3,901.07	4	4,238.20	4	4,555.35	4		4		4		4		4		4	
1/4	3,564.29	1/4	3,908.24	1/4	4,244.99	1/4	4,561.71	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,571.45	1/2	3,915.40	1/2	4,251.78	1/2	4,568.08	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,578.62	3/4	3,922.57	3/4	4,258.58	3/4	4,574.44	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,585.78	5	3,929.73	5	4,265.37	5	4,580.81	5		5		5		5		5		5	
1/4	3,592.95	1/4	3,936.89	1/4	4,272.13	1/4	4,587.14	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,600.12	1/2	3,944.06	1/2	4,278.89	1/2	4,593.47	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,607.28	3/4	3,951.22	3/4	4,285.65	3/4	4,599.80	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,614.45	6	3,958.38	6	4,292.41	6	4,606.14	6		6		6		6		6		6	
1/4	3,621.61	1/4	3,965.52	1/4	4,299.14	1/4	4,612.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,628.78	1/2	3,972.67	1/2	4,305.86	1/2	4,618.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,635.94	3/4	3,979.81	3/4	4,312.59	3/4	4,625.03	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,643.11	7	3,986.96	7	4,319.32	7	4,631.33	7		7		7		7		7		7	
1/4	3,650.28	1/4	3,994.07	1/4	4,326.02	1/4	4,637.59	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,657.44	1/2	4,001.19	1/2	4,332.71	1/2	4,643.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,664.61	3/4	4,008.30	3/4	4,339.41	3/4	4,650.12	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,671.77	8	4,015.42	8	4,346.11	8	4,656.38	8		8		8		8		8		8	
1/4	3,678.94	1/4	4,022.50	1/4	4,352.77	1/4	4,662.61	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,686.10	1/2	4,029.58	1/2	4,359.44	1/2	4,668.85	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,693.27	3/4	4,036.67	3/4	4,366.10	3/4	4,675.08	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,700.43	9	4,043.75	9	4,372.77	9	4,681.31	9		9		9		9		9		9	
1/4	3,707.60	1/4	4,050.80	1/4	4,379.40	1/4	4,687.75	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,714.77	1/2	4,057.85	1/2	4,386.03	1/2	4,694.18	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,721.93	3/4	4,064.89	3/4	4,392.67	3/4	4,700.62	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,729.10	10	4,071.94	10	4,399.30	10	4,707.05	10		10		10		10		10		10	
1/4	3,736.26	1/4	4,078.96	1/4	4,405.90	1/4	4,714.16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,743.43	1/2	4,085.97	1/2	4,412.50	1/2	4,721.27	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,750.59	3/4	4,092.98	3/4	4,419.11	3/4	4,728.38	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,757.76	11	4,099.99	11	4,425.71	11	4,735.48	11		11		11		11		11		11	
1/4	3,764.92	1/4	4,106.97	1/4	4,432.28	1/4	4,742.59	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,772.09	1/2	4,113.95	1/2	4,438.84	1/2	4,749.70	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,779.26	3/4	4,120.93	3/4	4,445.41	3/4	4,756.81	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/28/2014 CL  
CALCULATED: 08/29/2014 CL  
PRINTED: 09/02/2014 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 09/2014

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "CTCo 335"

## 3 PORT INNAGE TABLE HERMETIC GAUGE HEIGHT 15'-03"

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,617.81	0	3,818.35	0	4,012.23	0	4,196.14	0	4,372.95	0		0		0		0		0	
1/4	3,623.20	1/4	3,822.42	1/4	4,016.18	1/4	4,199.85	1/4	4,376.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,628.58	1/2	3,826.49	1/2	4,020.12	1/2	4,203.55	1/2	4,381.01	1/2		1/2		1/2		1/2		1/2	
3/4	3,633.97	3/4	3,830.56	3/4	4,024.07	3/4	4,207.26	3/4	4,385.04	3/4		3/4		3/4		3/4		3/4	
1	3,639.35	1	3,834.63	1	4,028.01	1	4,210.96	1	4,389.07	1		1		1		1		1	
1/4	3,643.42	1/4	3,838.69	1/4	4,031.94	1/4	4,214.64	1/4	4,392.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,647.49	1/2	3,842.76	1/2	4,035.86	1/2	4,218.33	1/2	4,396.75	1/2		1/2		1/2		1/2		1/2	
3/4	3,651.56	3/4	3,846.83	3/4	4,039.79	3/4	4,222.01	3/4	4,400.59	3/4		3/4		3/4		3/4		3/4	
2	3,655.63	2	3,850.90	2	4,043.72	2	4,225.69	2	4,404.43	2		2		2		2		2	
1/4	3,659.69	1/4	3,854.97	1/4	4,047.62	1/4	4,229.33	1/4	4,407.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,663.76	1/2	3,859.04	1/2	4,051.53	1/2	4,232.97	1/2	4,410.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,667.83	3/4	3,863.10	3/4	4,055.43	3/4	4,236.61	3/4	4,413.11	3/4		3/4		3/4		3/4		3/4	
3	3,671.90	3	3,867.17	3	4,059.34	3	4,240.25	3	4,416.00	3		3		3		3		3	
1/4	3,675.97	1/4	3,871.24	1/4	4,063.21	1/4	4,243.88	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,680.04	1/2	3,875.31	1/2	4,067.09	1/2	4,247.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,684.10	3/4	3,879.38	3/4	4,070.96	3/4	4,251.13	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,688.17	4	3,883.45	4	4,074.84	4	4,254.75	4		4		4		4		4		4	
1/4	3,692.24	1/4	3,887.51	1/4	4,078.69	1/4	4,258.36	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,696.31	1/2	3,891.58	1/2	4,082.55	1/2	4,261.96	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,700.38	3/4	3,895.65	3/4	4,086.40	3/4	4,265.57	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,704.44	5	3,899.72	5	4,090.25	5	4,269.18	5		5		5		5		5		5	
1/4	3,708.51	1/4	3,903.78	1/4	4,094.09	1/4	4,272.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,712.58	1/2	3,907.85	1/2	4,097.93	1/2	4,276.35	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,716.65	3/4	3,911.92	3/4	4,101.76	3/4	4,279.94	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,720.72	6	3,915.98	6	4,105.60	6	4,283.53	6		6		6		6		6		6	
1/4	3,724.79	1/4	3,920.04	1/4	4,109.42	1/4	4,287.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,728.85	1/2	3,924.10	1/2	4,113.23	1/2	4,290.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,732.92	3/4	3,928.15	3/4	4,117.05	3/4	4,294.24	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,736.99	7	3,932.21	7	4,120.87	7	4,297.81	7		7		7		7		7		7	
1/4	3,741.06	1/4	3,936.25	1/4	4,124.67	1/4	4,301.36	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,745.13	1/2	3,940.29	1/2	4,128.47	1/2	4,304.90	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,749.19	3/4	3,944.33	3/4	4,132.27	3/4	4,308.45	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,753.26	8	3,948.37	8	4,136.07	8	4,312.00	8		8		8		8		8		8	
1/4	3,757.33	1/4	3,952.39	1/4	4,139.85	1/4	4,315.53	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,761.40	1/2	3,956.41	1/2	4,143.63	1/2	4,319.07	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,765.47	3/4	3,960.43	3/4	4,147.41	3/4	4,322.60	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,769.54	9	3,964.45	9	4,151.20	9	4,326.13	9		9		9		9		9		9	
1/4	3,773.60	1/4	3,968.45	1/4	4,154.96	1/4	4,329.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,777.67	1/2	3,972.46	1/2	4,158.72	1/2	4,333.42	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,781.74	3/4	3,976.46	3/4	4,162.49	3/4	4,337.07	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,785.81	10	3,980.46	10	4,166.25	10	4,340.72	10		10		10		10		10		10	
1/4	3,789.88	1/4	3,984.44	1/4	4,170.00	1/4	4,344.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,793.94	1/2	3,988.42	1/2	4,173.74	1/2	4,348.77	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,798.01	3/4	3,992.40	3/4	4,177.49	3/4	4,352.80	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,802.08	11	3,996.38	11	4,181.24	11	4,356.83	11		11		11		11		11		11	
1/4	3,806.15	1/4	4,000.34	1/4	4,184.96	1/4	4,360.86	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,810.22	1/2	4,004.31	1/2	4,188.69	1/2	4,364.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,814.29	3/4	4,008.27	3/4	4,192.42	3/4	4,368.92	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/28/2014 CL  
CALCULATED: 08/29/2014 CL  
PRINTED: 09/02/2014 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 09/2014

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "CTCo 335"

## 3 STBD INNAGE TABLE HERMETIC

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-03 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,641.07	0	3,841.55	0	4,035.36	0	4,219.19	0	4,395.90	0		0		0		0		0	
1/4	3,646.46	1/4	3,845.62	1/4	4,039.31	1/4	4,222.89	1/4	4,399.93	1/4		1/4		1/4		1/4		1/4	
1/2	3,651.84	1/2	3,849.69	1/2	4,043.25	1/2	4,226.60	1/2	4,403.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,657.23	3/4	3,853.75	3/4	4,047.19	3/4	4,230.30	3/4	4,407.99	3/4		3/4		3/4		3/4		3/4	
1	3,662.62	1	3,857.82	1	4,051.14	1	4,234.00	1	4,412.01	1		1		1		1		1	
1/4	3,666.68	1/4	3,861.89	1/4	4,055.06	1/4	4,237.68	1/4	4,415.85	1/4		1/4		1/4		1/4		1/4	
1/2	3,670.75	1/2	3,865.95	1/2	4,058.99	1/2	4,241.36	1/2	4,419.69	1/2		1/2		1/2		1/2		1/2	
3/4	3,674.82	3/4	3,870.02	3/4	4,062.91	3/4	4,245.04	3/4	4,423.53	3/4		3/4		3/4		3/4		3/4	
2	3,678.88	2	3,874.09	2	4,066.84	2	4,248.72	2	4,427.37	2		2		2		2		2	
1/4	3,682.95	1/4	3,878.15	1/4	4,070.74	1/4	4,252.36	1/4	4,430.26	1/4		1/4		1/4		1/4		1/4	
1/2	3,687.02	1/2	3,882.22	1/2	4,074.64	1/2	4,256.00	1/2	4,433.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,691.08	3/4	3,886.29	3/4	4,078.55	3/4	4,259.64	3/4	4,436.04	3/4		3/4		3/4		3/4		3/4	
3	3,695.15	3	3,890.35	3	4,082.45	3	4,263.28	3	4,438.92	3		3		3		3		3	
1/4	3,699.22	1/4	3,894.42	1/4	4,086.32	1/4	4,266.90	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,703.28	1/2	3,898.49	1/2	4,090.20	1/2	4,270.52	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,707.35	3/4	3,902.55	3/4	4,094.07	3/4	4,274.15	3/4		3/4		3/4		3/4		3/4		3/4	
4	3,711.42	4	3,906.62	4	4,097.94	4	4,277.77	4		4		4		4		4		4	
1/4	3,715.48	1/4	3,910.69	1/4	4,101.80	1/4	4,281.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,719.55	1/2	3,914.75	1/2	4,105.65	1/2	4,284.98	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,723.62	3/4	3,918.82	3/4	4,109.50	3/4	4,288.58	3/4		3/4		3/4		3/4		3/4		3/4	
5	3,727.68	5	3,922.89	5	4,113.35	5	4,292.19	5		5		5		5		5		5	
1/4	3,731.75	1/4	3,926.95	1/4	4,117.19	1/4	4,295.77	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,735.82	1/2	3,931.02	1/2	4,121.02	1/2	4,299.36	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,739.88	3/4	3,935.08	3/4	4,124.86	3/4	4,302.94	3/4		3/4		3/4		3/4		3/4		3/4	
6	3,743.95	6	3,939.15	6	4,128.69	6	4,306.53	6		6		6		6		6		6	
1/4	3,748.02	1/4	3,943.21	1/4	4,132.51	1/4	4,310.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,752.08	1/2	3,947.26	1/2	4,136.32	1/2	4,313.66	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,756.15	3/4	3,951.32	3/4	4,140.14	3/4	4,317.23	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,760.22	7	3,955.37	7	4,143.95	7	4,320.80	7		7		7		7		7		7	
1/4	3,764.28	1/4	3,959.41	1/4	4,147.75	1/4	4,324.34	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,768.35	1/2	3,963.45	1/2	4,151.55	1/2	4,327.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,772.42	3/4	3,967.49	3/4	4,155.35	3/4	4,331.44	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,776.48	8	3,971.52	8	4,159.15	8	4,334.98	8		8		8		8		8		8	
1/4	3,780.55	1/4	3,975.54	1/4	4,162.93	1/4	4,338.51	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,784.62	1/2	3,979.56	1/2	4,166.71	1/2	4,342.04	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,788.68	3/4	3,983.58	3/4	4,170.49	3/4	4,345.57	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,792.75	9	3,987.60	9	4,174.27	9	4,349.10	9		9		9		9		9		9	
1/4	3,796.82	1/4	3,991.60	1/4	4,178.03	1/4	4,352.75	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,800.88	1/2	3,995.60	1/2	4,181.79	1/2	4,356.39	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,804.95	3/4	3,999.60	3/4	4,185.55	3/4	4,360.04	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,809.02	10	4,003.60	10	4,189.31	10	4,363.68	10		10		10		10		10		10	
1/4	3,813.08	1/4	4,007.58	1/4	4,193.06	1/4	4,367.71	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,817.15	1/2	4,011.56	1/2	4,196.80	1/2	4,371.74	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,821.22	3/4	4,015.54	3/4	4,200.55	3/4	4,375.76	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,825.28	11	4,019.52	11	4,204.29	11	4,379.79	11		11		11		11		11		11	
1/4	3,829.35	1/4	4,023.48	1/4	4,208.02	1/4	4,383.82	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,833.42	1/2	4,027.44	1/2	4,211.74	1/2	4,387.85	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,837.49	3/4	4,031.40	3/4	4,215.47	3/4	4,391.88	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 08/28/2014 CL  
CALCULATED: 08/29/2014 CL  
PRINTED: 09/02/2014 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 09/2014

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>



# BARGE "CTCO 335"

# FUEL TANK INNAGE TABLE

CAPACITIES GIVEN IN WHOLE GALLONS

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0	0	0	1,625	0	3,250	0	4,875	0	6,501	0	8,126	0	9,751	0		0		0	
1/4	34	1/4	1,659	1/4	3,284	1/4	4,909	1/4	6,534	1/4	8,160	1/4	9,785	1/4		1/4		1/4	
1/2	68	1/2	1,693	1/2	3,318	1/2	4,943	1/2	6,568	1/2	8,193	1/2	9,819	1/2		1/2		1/2	
3/4	102	3/4	1,727	3/4	3,352	3/4	4,977	3/4	6,602	3/4	8,227	3/4	9,852	3/4		3/4		3/4	
1	135	1	1,761	1	3,386	1	5,011	1	6,636	1	8,261	1	9,886	1		1		1	
1/4	169	1/4	1,794	1/4	3,420	1/4	5,045	1/4	6,670	1/4	8,295	1/4	9,920	1/4		1/4		1/4	
1/2	203	1/2	1,828	1/2	3,453	1/2	5,079	1/2	6,704	1/2	8,329	1/2	9,954	1/2		1/2		1/2	
3/4	237	3/4	1,862	3/4	3,487	3/4	5,112	3/4	6,738	3/4	8,363	3/4	9,988	3/4		3/4		3/4	
2	271	2	1,896	2	3,521	2	5,146	2	6,771	2	8,397	2	10,022	2		2		2	
1/4	305	1/4	1,930	1/4	3,555	1/4	5,180	1/4	6,805	1/4	8,430	1/4	10,056	1/4		1/4		1/4	
1/2	339	1/2	1,964	1/2	3,589	1/2	5,214	1/2	6,839	1/2	8,464	1/2	10,089	1/2		1/2		1/2	
3/4	372	3/4	1,998	3/4	3,623	3/4	5,248	3/4	6,873	3/4	8,498	3/4		3/4		3/4		3/4	
3	406	3	2,031	3	3,657	3	5,282	3	6,907	3	8,532	3		3		3		3	
1/4	440	1/4	2,065	1/4	3,690	1/4	5,316	1/4	6,941	1/4	8,566	1/4		1/4		1/4		1/4	
1/2	474	1/2	2,099	1/2	3,724	1/2	5,349	1/2	6,975	1/2	8,600	1/2		1/2		1/2		1/2	
3/4	508	3/4	2,133	3/4	3,758	3/4	5,383	3/4	7,008	3/4	8,634	3/4		3/4		3/4		3/4	
4	542	4	2,167	4	3,792	4	5,417	4	7,042	4	8,667	4		4		4		4	
1/4	576	1/4	2,201	1/4	3,826	1/4	5,451	1/4	7,076	1/4	8,701	1/4		1/4		1/4		1/4	
1/2	609	1/2	2,235	1/2	3,860	1/2	5,485	1/2	7,110	1/2	8,735	1/2		1/2		1/2		1/2	
3/4	643	3/4	2,268	3/4	3,894	3/4	5,519	3/4	7,144	3/4	8,769	3/4		3/4		3/4		3/4	
5	677	5	2,302	5	3,927	5	5,553	5	7,178	5	8,803	5		5		5		5	
1/4	711	1/4	2,336	1/4	3,961	1/4	5,586	1/4	7,212	1/4	8,837	1/4		1/4		1/4		1/4	
1/2	745	1/2	2,370	1/2	3,995	1/2	5,620	1/2	7,245	1/2	8,871	1/2		1/2		1/2		1/2	
3/4	779	3/4	2,404	3/4	4,029	3/4	5,654	3/4	7,279	3/4	8,904	3/4		3/4		3/4		3/4	
6	813	6	2,438	6	4,063	6	5,688	6	7,313	6	8,938	6		6		6		6	
1/4	846	1/4	2,472	1/4	4,097	1/4	5,722	1/4	7,347	1/4	8,972	1/4		1/4		1/4		1/4	
1/2	880	1/2	2,505	1/2	4,131	1/2	5,756	1/2	7,381	1/2	9,006	1/2		1/2		1/2		1/2	
3/4	914	3/4	2,539	3/4	4,164	3/4	5,790	3/4	7,415	3/4	9,040	3/4		3/4		3/4		3/4	
7	948	7	2,573	7	4,198	7	5,823	7	7,449	7	9,074	7		7		7		7	
1/4	982	1/4	2,607	1/4	4,232	1/4	5,857	1/4	7,482	1/4	9,108	1/4		1/4		1/4		1/4	
1/2	1,016	1/2	2,641	1/2	4,266	1/2	5,891	1/2	7,516	1/2	9,141	1/2		1/2		1/2		1/2	
3/4	1,050	3/4	2,675	3/4	4,300	3/4	5,925	3/4	7,550	3/4	9,175	3/4		3/4		3/4		3/4	
8	1,083	8	2,709	8	4,334	8	5,959	8	7,584	8	9,209	8		8		8		8	
1/4	1,117	1/4	2,742	1/4	4,368	1/4	5,993	1/4	7,618	1/4	9,243	1/4		1/4		1/4		1/4	
1/2	1,151	1/2	2,776	1/2	4,401	1/2	6,027	1/2	7,652	1/2	9,277	1/2		1/2		1/2		1/2	
3/4	1,185	3/4	2,810	3/4	4,435	3/4	6,060	3/4	7,686	3/4	9,311	3/4		3/4		3/4		3/4	
9	1,219	9	2,844	9	4,469	9	6,094	9	7,719	9	9,345	9		9		9		9	
1/4	1,253	1/4	2,878	1/4	4,503	1/4	6,128	1/4	7,753	1/4	9,378	1/4		1/4		1/4		1/4	
1/2	1,287	1/2	2,912	1/2	4,537	1/2	6,162	1/2	7,787	1/2	9,412	1/2		1/2		1/2		1/2	
3/4	1,320	3/4	2,946	3/4	4,571	3/4	6,196	3/4	7,821	3/4	9,446	3/4		3/4		3/4		3/4	
10	1,354	10	2,979	10	4,605	10	6,230	10	7,855	10	9,480	10		10		10		10	
1/4	1,388	1/4	3,013	1/4	4,638	1/4	6,264	1/4	7,889	1/4	9,514	1/4		1/4		1/4		1/4	
1/2	1,422	1/2	3,047	1/2	4,672	1/2	6,297	1/2	7,923	1/2	9,548	1/2		1/2		1/2		1/2	
3/4	1,456	3/4	3,081	3/4	4,706	3/4	6,331	3/4	7,956	3/4	9,582	3/4		3/4		3/4		3/4	
11	1,490	11	3,115	11	4,740	11	6,365	11	7,990	11	9,615	11		11		11		11	
1/4	1,524	1/4	3,149	1/4	4,774	1/4	6,399	1/4	8,024	1/4	9,649	1/4		1/4		1/4		1/4	
1/2	1,557	1/2	3,183	1/2	4,808	1/2	6,433	1/2	8,058	1/2	9,683	1/2		1/2		1/2		1/2	
3/4	1,591	3/4	3,216	3/4	4,842	3/4	6,467	3/4	8,092	3/4	9,717	3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK AT GAUGE POINT.  
CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN AT 2" DIAMETER PIPE.

STRAPPED: 08/28/14 CL  
CALCULATED: 08/28/14 CL  
PRINTED: 08/31/14 SW

CANCELS AND SUPERCEDES  
ALL PRIOR TO 08/2014

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>